



### High-frequency Transformer EQ26 Series

#### Parameters/Dimensions:

##### EQ2615 Bobbin Type

Information:




Shape: EQ2615

1 Power:.60W

2 Mounting Orientation: Vertical

3 Size: 29(W) \*36.5(L) \* 15.5 (H)

4 Effective Ae (mm<sup>2</sup>): 83



##### EQ2613 Bobbin Type 2

Information:




Shape: EQ2613

1 Power:.60W

2 Mounting Orientation: Vertical

3 Size: 29(W) \*36(L) \* 13.5 (H)

4 Effective Ae (mm<sup>2</sup>): 83



##### EQ2615 Bobbin Type 3

Information:




Shape: EQ2615

1 Power:.60W

2 Mounting Orientation: Vertical

3 Size: 29(W) \*36(L) \* 15 (H)

4 Effective Ae (mm<sup>2</sup>): 83



#### Note:

Bobbin type listed in the traditional style, transformer design parameters to customer needs or to inject prevail.

#### EQ26 series high-frequency transformer features:

Low loss, low temperature, anti-jamming performance, reasonable shape, large power range, can effectively reduce installation size, with multiple pins to facilitate wound wiring. Low assembly cost, easy to meet safety requirements, but standardization than the southern.

#### Uses:

Main power transformers, drive transformers, smoothing chokes, auxiliary power transformer. Mainly used in networking, communications, power, electrical equipment, medical and other fields.