





Inductance Range: 1.0μH~1000μH
Temperature Range: -40℃~+125℃

PDRH125-Ser

DIMENSIONS(mm)



LAND PATTERNS(mm) CONSTRUCTION



FEATURES:

- ★Quantity / Reel:500pcs
- ★High current & low DCR, Quadrate12.5mm Max, Height 6.0mm Max.
- ★The use of carrier tape package for SMT reflow soldering process
- ★Widely use in DC-DC converter/LCD TV/Notebook/ PDA /Digital camera/DVD etc.
- ★Design to customer requirement

RoHS Compliant(SGS Certified Result)

Pb	Cd	Cr+6	PBBs	PBDEs
<1000ppm	ND	ND	ND	ND



Electrical Characteristics:

Part Number	Test Condition	Inductance (μH)	Tolerance (%)	D.C.R(Ω) Max.	Rated Current(A)
PDRH125-1R0M,N	100KHz/0.3V	1.0	±20,±30	10m	9.00
PDRH125-3R3M,N	100KHz/0.3V	3.3	±20,±30	18m	7.50
PDRH125-100M	1KHz/0.3V	10	±20	25m	4.00
PDRH125-120M	1KHz/0.3V	12	±20	27m	3.50
PDRH125-150M	1KHz/0.3V	15	±20	30m	3.30
PDRH125-180M	1KHz/0.3V	18	±20	34m	3.00
PDRH125-220M	1KHz/0.3V	22	±20	36m	2.80
PDRH125-270M	1KHz/0.3V	27	±20	51m	2.30
PDRH125-330M	1KHz/0.3V	33	±20	57m	2.10
PDRH125-390M	1KHz/0.3V	39	±20	68m	2.00
PDRH125-470M	1KHz/0.3V	47	±20	75m	1.80
PDRH125-560M	1KHz/0.3V	56	±20	0.110	1.70
PDRH125-680M	1KHz/0.3V	68	±20	0.120	1.50
PDRH125-820M	1KHz/0.3V	82	±20	0.140	1.40
PDRH125-101M	1KHz/0.3V	100	±20	0.160	1.30
PDRH125-121M	1KHz/0.3V	120	±20	0.170	1.10
PDRH125-151M	1KHz/0.3V	150	±20	0.230	1.00
PDRH125-181M	1KHz/0.3V	180	±20	0.290	0.90
PDRH125-221M	1KHz/0.3V	220	±20	0.400	0.80
PDRH125-271M	1KHz/0.3V	270	±20	0.460	0.75
PDRH125-331M	1KHz/0.3V	330	±20	0.510	0.68
PDRH125-391M	1KHz/0.3V	390	±20	0.690	0.65
PDRH125-471M	1KHz/0.3V	470	±20	0.770	0.58
PDRH125-561M	1KHz/0.3V	560	±20	0.860	0.54
PDRH125-681M	1KHz/0.3V	680	±20	1.200	0.48
PDRH125-821M	1KHz/0.3V	820	±20	1.340	0.43
PDRH125-102M	1KHz/0.3V	1000	±20	1.530	0.40

- 1、 Inductance is measurPD with a LCR meter:HP4284A & 3532-50 or equivalent.
- 2、 D.C .R is measurPD with a Digital Multimeter TH2512B or equivalent.
- 3、 RatPD Current: The ratPD current is the current at which the inductance decreases by 25% from the initial value or the temperature rise is $\Delta T=40^{\circ}\text{C}$,whichever is smaller($T_a=20^{\circ}\text{C}$).